Available online at www.sciencedirect.com
SCIENCE DIRECT®
ELSEVIER
Journal of Magnetism and Magnetic Materials 269 (2004) 429–432
Journal of magnetism and magnetic materials
www.elsevier.com/locate/jmmm

Author index to volume 269

Abdullah, M.H., see Yusoff, A.N. 271
Abe, T., see Takahashi, S. 139
Ainane, A., see Htoutou, K. 245
Al-Falaky, A., see Al-Rawas, A.D. 168
Al-Ghanem, H., see Hamdeh, H.H. 404
Al-Rawas, A.D., A. Rais, A.A. Yousif, A.M. Gismelseed, M.E. Elzain, S. Mazen and A. Al-Falaky, Magnetic properties of $Cu_{1+x}M_xFe_{2-2x}O_4$ mixed ferrites ($M=Ge,Ti$, $0\leqslant x\leqslant 0.4$) 168
Anantharaman, M.R., see Shenoy, S.D. 217
Anh, D.T.K., see Hamdeh, H.H. 404
Ariosa, D., see Oko, M. 231
Attfield, J.P., see Venimadhav, A. 101

Bai, Y., see Hong, X. 95
Bakonyi, I., J. Tóth, L.F. Kiss, E. Tóth-Kádár, L. Péter and A. Dinia, Origin of giant magnetoresistance contributions in electrodeposited Ni–Cu/Cu multilayers 156
Bałanda, M., M. Kolenda and A. Szytuła, Magnetic transitions in RPd_2Ge ($R=Tb, Dy, Ho, Er$) 259
Behr, G., see Rotter, M. 372
Bercoff, P.G., see Bertorello, H.R. 122
Berger, H., see Oko, M. 231
Bertorello, H.R., P.G. Bercoff and M.I. Oliva, Model of interactions in nanometric particles of barium hexaferrite 122
Bewley, R.I., see Rotter, M. 372
Bhattacharya, S., S. Pal, R.K. Mukherjee, B.K. Chaudhuri, S. Neeleshwar, Y.Y. Chen, S. Mollah and H.D. Yang, Development of pulsed magnetic field and study of magnetotransport properties of K-doped $La_{1-x}Ca_{x-y}K_yMnO_3$ CMR materials 359
Bid, S., see Pal, M. 42
Blamire, M.G., see Leung, C.W. 15
Blamire, M.G., see Venimadhav, A. 101
Bogdanov, A.N., see Rößler, U.K. L287
Brückl, H., see Luciński, T. 78
Bublitz, E. and J. Ricardo de Sousa, Field-induced phase transition in the quantum Heisenberg antiferromagnetic model 266
Buchanan, J.D.R., see Leung, C.W. 15
Buttino, G., A. Cecchetti and M. Poppi, Domain wall relaxation frequency and magnetocrystalline anisotropy in Co- and Fe-based nanostructured alloys 70

Campos, C.E.M., V. Drago, J.C. de Lima, T.A. Grandi, K.D. Machado and M.R. Silva, Mössbauer and magnetization studies of $Fe_{25}Se_{75}$ iron selenides produced by mechanical alloying 6
Carbucicchio, M., see Labrune, M. 203
Cecchetti, A., see Buttino, G. 70
Chakravorty, D., see Pal, M. 42
Chang, Y.C., see Wu, K.H. 150
Chaudhuri, B.K., see Bhattacharya, S. 359
Chen, L., see Wang, X. 197
Chen, Y.Y., see Bhattacharya, S. 359
Chen, Y.Y., see Wang, C.R. 419

Das, D., see Pal, M. 42
De Arruda Penteado Jr., A., see Lancarotte, M.S. 346
De Grave, E., see Van San, E. 54
De Lima, J.C., see Campos, C.E.M. 6
Dhar, S.K., see Singh, S. 113
Dinia, A., see Bakonyi, I. 156
Doerr, M., see Rotter, M. 372
Domracheva, N.E., I.V. Ovchinnikov, A.N. Turanov and V.N. Konstantinov, EPR detection of presumable magnetoelectric interactions in the liquid-crystalline state of an iron mesogen 385
Drago, V., see Campos, C.E.M. 6
Drobac, D., see Oko, M. 231
Du, A., see Li, J. 410
Du, Y.W., see Jiang, X.L. 38
Dubman, M., H. Ettedgui and M. Kuznietz, The $U(Co_{1-x}Cu_x)_2Ge_2$ system studied by SQUID-magnetization and AC-susceptibility measurements 311
Duc, N.H., see Hamdeh, H.H. 404
Džubinský, M., see Kováč, F. 333

Eccleston, R.S., see Rotter, M. 372
Elzain, M.E., see Al-Rawas, A.D. 168
Endo, S., see Matsushita, M. 393
Ettedgui, H., see Dubman, M. 311

Geng, D.Y., see Ren, W.J. 281
Gismelseed, A.M., see Al-Rawas, A.D. 168
Grandi, T.A., see Campos, C.E.M. 6
Gruber, J.B., see Wang, C.R. 419
Guerrero, V.H., see Wetherhold, R.C. 61
Gui, Z., see Qi, X. 352
Guo, W., see Hong, X. 95

0304-8853/04/$ - see front matter
PII: S0304-8853(03)02528-9

Hamdeh, H.H., H. Al-Ghanem, W.M. Hikal, S.M. Taher, J.C. Ho, D.T.K. Anh, N.P. Thuy, N.H. Duc and P.D. Thang, Mössbauer spectroscopic evaluation of chemical and electronic distributions in $La(Fe_{0.81}Si_{0.19})_{13}$ 404
Hamdeh, H.H., see Wang, C.R. 419
Harris, I.R., see Lechevallier, L. 192
Hauschild, J., see Schmitz, D. 89
Heitmann, S., see Luciński, T. 78
Hempel, T., see Luciński, T. 78
Hikal, W.M., see Hamdeh, H.H. 404
Ho, J.C., see Hamdeh, H.H. 404
Ho, J.C., see Wang, C.R. 419
Hong, X., W. Guo, H. Yuan, J. Li, Y. Liu, L. Ma, Y. Bai and T. Li, Periodate oxidation of nanoscaled magnetic dextran composites 95
Howard, J.K., see Platt, C.L. 212
Htoutou, K., A. Ainane and M. Saber, The transverse crystal-field effects of the mixed spin Ising bilayer system 245
Huang, B.-X., see Liu, Y.-H. 398
Hütten, A., see Luciński, T. 78

Imperia, P., see Schmitz, D. 89
Inoue, M., see Tetsukawa, H. 423

Jiang, X.L., Q.Y. Xu, G. Ni, H. Sang, F.M. Zhang and Y.W. Du, The effects of lattice distortion on the electrical properties of magnetic $La_{2/3}Sr_{1/3}MnO_3$ polycrystalline films 38
Jiuxing, Z., see Ming, Y. 227
Joy, P.A., see Shenoy, S.D. 217
Ju, X., see Wang, X. 197

Kamada, Y., see Takahashi, S. 139
Kanno, H., see Kawashita, Y. 293
Kawashita, Y., N. Waki, T. Tayu, T. Sugiyama, H. Ono, H. Koyama, H. Kanno and T. Uchida, Magnetic properties of Nd–Fe–B system anisotropic HDDR powder made from segregated master ingots 293
Kazantseva, N.E., J. Vilánková, V. Křesálek, P. Sáha, I. Sapurina and J. Stejskal, Magnetic behaviour of composites containing polyaniline-coated manganese–zinc ferrite 30
Kiss, L.F., see Bakonyi, I. 156
Kockelmann, W., see Rotter, M. 372
Kolenda, M., see Bałanda, M. 259
Kondo, H., see Tetsukawa, H. 423
Konishi, T., H. Nagai, Y. Nakata and T. Okutani, Microstructure and magnetic properties of Sm_2Fe_{17} alloy prepared by unidirectional solidification in microgravity 48
Konstantinov, V.N., see Domracheva, N.E. 385
Kováč, F., M. Džubinský and Y. Sidor, Columnar grain growth in non-oriented electrical steels 333
Koyama, H., see Kawashita, Y. 293
Křesálek, V., see Kazantseva, N.E. 30
Kulshreshtha, S.K., see Mukadam, M.D. 317
Kuznietz, M., see Dubman, M. 311

Labrune, M. and M. Carbucicchio, Domain pattern in spring-magnet-type [Co/Fe] multilayers 203
Lancarotte, M.S. and A. de Arruda Penteado Jr., Improving the magnetizing device design of the single sheet tester of two-dimensional properties 346
Larson, P. and I.I. Mazin, Effect of impurities on magnetic properties of $Y(Co_{5-x}Cu_x)$ and $Y_2 \times (Co_{7-x}Ni_x)$ 176
Le Breton, J.M., see Lechevallier, L. 192
Lechevallier, L., J.M. Le Breton, J.F. Wang and I.R. Harris, Structural analysis of hydrothermally synthesized $Sr_{1-x}Sm_xFe_{12}O_{19}$ hexagonal ferrites 192
Lefèvre, C., see Mar, A. 380
Leung, C.W., M.E. Vickers, J.D.R. Buchanan and M.G. Blamire, A study of conventional top spin valve structure through the built-up samples technique 15
Li, J., G. Wei and A. Du, Green function study of a mixed spin-$\frac{3}{2}$ and spin-$\frac{1}{2}$ Heisenberg ferrimagnetic model 410
Li, J., see Hong, X. 95
Li, L., see Qi, X. 352
Li, T., see Hong, X. 95
Lin, Y.S., see Wang, C.R. 419
Liu, W., see Ren, W.J. 281
Liu, Y., see Hong, X. 95
Liu, Y.-H., B.-X. Huang, R.-Z. Zhang, X.-B. Yuan, C.-J. Wang and L.-M. Mei, Effects of Ti addition on the magnetic, transport and magnetoresistive properties of $La_{0.67}Ca_{0.33}MnO_3$ 398
Liu, Y.T., see Schmitz, D. 89
Loewenhaupt, M., see Rotter, M. 372
Luciński, T., A. Hütten, H. Brückl, S. Heitmann, T. Hempel and G. Reiss, Magnetoresistance study of $Ni_{80}Fe_{20}$/Co1/CuAgAu/Co2 asymmetric sandwiches 78

Ma, L., see Hong, X. 95
Machado, K.D., see Campos, C.E.M. 6
Maletta, H., see Schmitz, D. 89
Manfrinetti, P., see Singh, S. 113
Mar, A., C. Lefèvre and G. Venturini, Anisotropic transport properties measured in $HoMn_6Ge_6$ single crystals 380
Martynov, S., G. Petrakovskii and B. Roessli, Quasi-one-dimensional excitations of copper metaborate in the commensurate phase $10\,K < T < 20\,K$ 106
Matsushita, M., S. Endo, K. Miura and F. Ono, Pressure-induced change of the magnetic state in ordered Fe–Pt Invar alloy 393
Mazen, S., see Al-Rawas, A.D. 168
Mazin, I.I., see Larson, P. 176
Mazzone, D., see Singh, S. 113
Mei, L.-M., see Liu, Y.-H. 398
Ming, Y., L. Xubo, Xiaoyaofu and Z. Jiuxing, Magnetization reversal mechanism of anisotropic HDDR $Nd_2Fe_{14}B$-based magnet powder 227

Miura, K., see Matsushita, M. 393
Mollah, S., see Bhattacharya, S. 359
Mukadam, M.D., S.M. Yusuf, P. Sharma and S.K. Kulshreshtha, Magnetic behavior of field induced spin-clusters in amorphous Fe_2O_3 317
Mukherjee, R.K., see Bhattacharya, S. 359

Nagai, H., see Konishi, T. 48
Nakata, Y., see Konishi, T. 48
Nath, B.K., see Pal, M. 42
Neeleshwar, S., see Bhattacharya, S. 359
Negri, D., A. Paoluzi and L. Pareti, Magnetic anisotropy and magnetisation processes in 3:29, 1:12 and 2:17 type Nd:(Fe, Co, Ti) related compounds 302
Ni, G., see Jiang, X.L. 38

Oko, M., I. Živkovic, M. Prester, D. Drobac, D. Ariosa, H. Berger and D. Pavuna, Consistent behaviour of AC susceptibility and transport properties in magnetic superconductor $RuSr_2GdCu_2O_8$ 231
Okutani, T., see Konishi, T. 48
Oliva, M.I., see Bertorello, H.R. 122
Ono, F., see Matsushita, M. 393
Ono, H., see Kawashita, Y. 293
Ou, M.N., see Wang, C.R. 419
Ovchinnikov, I.V., see Domracheva, N.E. 385

Pal, M., S. Bid, S.K. Pradhan, B.K. Nath, D. Das and D. Chakravorty, Synthesis of nanocomposites comprising iron and barium hexaferrites 42
Pal, S., see Bhattacharya, S. 359
Palenzona, A., see Singh, S. 113
Paoluzi, A., see Negri, D. 302
Papathanassiou, G.F., J.K. Yakinthos and W. Schäfer, The antiferromagnetic structure of $ErPtGe_2$ 1
Pareti, L., see Negri, D. 302
Pavuna, D., see Oko, M. 231
Péter, L., see Bakonyi, I. 156
Petrakovskii, G., see Martynov, S. 106
Platt, C.L., J.K. Howard and D.J. Smith, Use of Pd and Pt buffers to induce soft magnetic properties in $Fe_{70}Co_{30}$ thin films 212
Poppi, M., see Buttino, G. 70
Pradhan, S.K., see Pal, M. 42
Prester, M., see Oko, M. 231

Qi, X., J. Zhou, Z. Yue, Z. Gui and L. Li, Investigation of magnetic properties of $Ni_{0.2}Cu_{0.2}Zn_{0.6}Fe_{1.96}O_4$–$BaTiO_3$ composites 352
Qian, F., see Zhigao, H. 184

Rais, A., see Al-Rawas, A.D. 168
Reiss, G., see Luciński, T. 78
Ren, W.J., Z.D. Zhang, X.G. Zhao, X.P. Song, W. Liu and D.Y. Geng, Structure and magnetostriction of $Tb_{1-x}Pr_xFe_{1.93}B_{0.15}$ alloys 281
Ricardo de Sousa, J., see Bublitz, E. 266
Rößler, U.K. and A.N. Bogdanov, Synthetic metamagnetism — magnetic switching of perpendicular antiferromagnetic superlattices L287
Roessli, B., see Martynov, S. 106
Rotter, M., M. Doerr, M. Loewenhaupt, W. Kockelmann, R.I. Bewley, R.S. Eccleston, A. Schneidewind and G. Behr, Pressure dependence of the magnetic structures and excitations in the giant magnetostriction compound $TbCu_2$ 372

Saber, M., see Htoutou, K. 245
Saffarzadeh, A., Spin-filter magnetoresistance in magnetic barrier junctions 327
Sang, H., see Jiang, X.L. 38
Sapurina, I., see Kazantseva, N.E. 30
Sato, Y., see Takahashi, S. 139
Schäfer, W., see Papathanassiou, G.F. 1
Schmitz, D., J. Hauschild, P. Imperia, Y.T. Liu and H. Maletta, Element-specific investigation of the magnetization of ultrathin Fe on a V(110) single crystal 89
Schneidewind, A., see Rotter, M. 372
Sáha, P., see Kazantseva, N.E. 30
Sharma, P., see Mukadam, M.D. 317
Shenoy, S.D., P.A. Joy and M.R. Anantharaman, Effect of mechanical milling on the structural, magnetic and dielectric properties of coprecipitated ultrafine zinc ferrite 217
Sher, F., see Venimadhav, A. 101
Shiroishi, Y., see Takata, K. 131
Sidor, Y., see Kováč, F. 333
Silva, M.R., see Campos, C.E.M. 6
Singh, S., S.K. Dhar, P. Manfrinetti, A. Palenzona and D. Mazzone, High magnetic transition temperatures in RScT (R = Pr, Nd and Sm; T = Si and Ge) compounds: multiple spin reorientations in PrScGe 113
Smith, D.J., see Platt, C.L. 212
Song, X.P., see Ren, W.J. 281
Stejskal, J., see Kazantseva, N.E. 30
Sugiyama, T., see Kawashita, Y. 293
Szytuła, A., see Bałanda, M. 259

Taher, S.M., see Hamdeh, H.H. 404
Taher, S.M.A., see Wang, C.R. 419
Takahashi, S., Y. Sato, Y. Kamada and T. Abe, Study of chromium depletion by magnetic method in Ni-based alloys 139
Takata, K., F. Tomiyama and Y. Shiroishi, Strain imaging of a ferrite core head 131
Tayu, T., see Kawashita, Y. 293
Tetsukawa, H., M. Inoue and H. Kondo, Thermal stability and structure of acicular Fe–Co metal particles 423
Thang, P.D., see Hamdeh, H.H. 404
Thuy, N.P., see Hamdeh, H.H. 404
Tomiyama, F., see Takata, K. 131

Tóth, J., see Bakonyi, I. 156
Tóth-Kádár, E., see Bakonyi, I. 156
Turanov, A.N., see Domracheva, N.E. 385

Uchida, T., see Kawashita, Y. 293

Vandenberghe, R.E., see Van San, E. 54
Van San, E., E. De Grave and R.E. Vandenberghe, Field-induced spin transitions in hematite powders as observed from Mössbauer spectroscopy 54
Venimadhav, A., F. Sher, J.P. Attfield and M.G. Blamire, Oxygen assisted deposition of Sr_2FeMoO_6 thin films on $SrTiO_3(100)$ 101
Venturini, G., see Mar, A. 380
Vickers, M.E., see Leung, C.W. 15
Viláková, J., see Kazantseva, N.E. 30

Waki, N., see Kawashita, Y. 293
Wang, C.-J., see Liu, Y.-H. 398
Wang, C.R., Y.Y. Chen, Y.D. Yao, Y.S. Lin, M.N. Ou, S.M.A. Taher, H.H. Hamdeh, X. Zhang, J.C. Ho and J.B. Gruber, Magnetic and calorimetric studies of antiferromagnetic transitions in erbium sesquisulfide 419
Wang, G.P., see Wu, K.H. 150
Wang, J.F., see Lechevallier, L. 192
Wang, X., Y.X. Zheng, X. Ju and L. Chen, The Joule loss profiles of different structure at two wavelengths in a double layered magneto-optical disk 197
Wei, G., see Li, J. 410
Wetherhold, R.C. and V.H. Guerrero, Magnetoelastic interaction in magnetostrictive spring-magnet multilayers 61
Wu, K.H., Y.C. Chang and G.P. Wang, Preparation of NiZn ferrite/SiO_2 nanocomposite powders by sol–gel auto-combustion method 150

Xiaoping, S., see Zhanbo, S. 341
Xiaoyaofu, see Ming, Y. 227
Xiaoyuan, L., see Zhanbo, S. 341
Xu, Q.Y., see Jiang, X.L. 38
Xubo, L., see Ming, Y. 227

Yakinthos, J.K., see Papathanassiou, G.F. 1
Yang, H.D., see Bhattacharya, S. 359
Yao, Y.D., see Wang, C.R. 419
Yaomin, Z., see Zhanbo, S. 341
Yousif, A.A., see Al-Rawas, A.D. 168
Youwei, D., see Zhigao, H. 184
Yuan, H., see Hong, X. 95
Yuan, X.-B., see Liu, Y.-H. 398
Yue, Z., see Qi, X. 352
Yusoff, A.N. and M.H. Abdullah, Microwave electromagnetic and absorption properties of some LiZn ferrites 271
Yusuf, S.M., see Mukadam, M.D. 317

Zakhlevnykh, A.N., Threshold magnetic fields and Fréedericksz transition in a ferronematic 238
Zhanbo, S., Z. Yaomin, L. Xiaoyuan and S. Xiaoping, Compositions, magnetic properties and GMR performances of melt-spun Cu–Co–Ni ribbons 341
Zhang, F.M., see Jiang, X.L. 38
Zhang, R.-Z., see Liu, Y.-H. 398
Zhang, X., see Wang, C.R. 419
Zhang, Z.D., see Ren, W.J. 281
Zhao, X.G., see Ren, W.J. 281
Zheng, Y.X., see Wang, X. 197
Zhigao, H., F. Qian and D. Youwei, Surface critical properties of a face-centered cubic magnetic films 184
Zhou, J., see Qi, X. 352
Živkovic, I., see Oko, M. 231

Available online at www.sciencedirect.com
SCIENCE DIRECT®
ELSEVIER
Journal of Magnetism and Magnetic Materials 269 (2004) 433–434
Journal of magnetism and magnetic materials
www.elsevier.com/locate/jmmm

Subject index to volume 269

AC susceptibility 231, 259, 311
AC susceptibility measurement 393
Alloying 341
Aluminum substitution 54
Amorphous systems—oxides 317
Anisotropic magnet powders 293
Anisotropic property 380
Antiferromagnetic transitions 419
Applied fields 54
As-cast alloys 293
Atomic-site distribution 404
Auto-combustion 150

Barium hexaferrite 42, 122
Bilayer system 245

Cations distribution 168
Characterization 15
Chromium depletion 139
Clusters 122
Coated particles 30
Coercivity mechanism 227
Colossal magnetoresistance 398
Columnar microstructure 333
Compensation temperature 410
Conducting polymer 30
Conductivity 380
Copper ferrites 168
Critical temperature 184, 410
Crystal structure 1
Cu–Co–Ni alloys 341
Curie temperature 139

Decarburising annealing in intercritical region 333
Detection of aldehydes 95
Dielectric 217
Dielectric permittivity 271
Distortion 38
Domain processes 287
Domain structure 61
Domain wall motion 352
Domain wall pinning 259
Double perovskites 101

Effective anisotropy 122
Electrodeposition 156
Electronic structure 176
Electron–magnon 359
EPR spectroscopy 385
Erbium 1
$ErS_{1.5}$ 419
Exchange interactions 122, 184

Fe 89
Fe- and Co-based amorphous alloys 70
FeCo 212
Fe–Co metal particles 423
Fe–Pt invar alloy 393
Ferrimagnet 245
Ferrite 30, 150, 271
Ferroelectric phase 352
Ferromagnetic 101
Ferromagnetic phase 352
Ferronematic 238
Film 184
FOMP 302
Fréedericksz transition 238

Germanium 1
Giant magnetoresistance 78
Giant magnetostrictive materials 61
GMR 156, 341
Green function 410

Hard disk drives 131
HDDR 293
Heisenberg antiferromagnetic 266
Heisenberg ferrimagnetic system 410
Hematite 54
Hexaferrites 192
High coercive fields 113
High-energy ball milling 217
High magnetic transition temperatures 113
High moment 212
High pressure 393
Homogenized alloys 293
Hysteresis model 346

IA treatments 293
Inelastic neutron scattering 106
Initial permeability 352
Interfacial polarisation 217
Interlayer coupling 78
Iron 42

Joule loss profiles 197

K doping 359

Lab VIEW 217
$La(Fe_{1-x}Si_x)_{13}$ 404
LaSrMnO 38
Lattice 38
Layers 15

Magnet 48
Magnetic anisotropy 48, 61, 176, 385
Magnetic dextran 95
Magnetic excitations 372
Magnetic fluids 238
Magnetic head 131
Magnetic losses 346
Magnetic measurements 317
Magnetic moment—distribution 317
Magnetic moments 176
Magnetic multilayers 287
Magnetic nanoparticles 217
Magnetic permeability 271
Magnetic phase diagrams 311
Magnetic phase transition 259, 393
Magnetic properties 95, 352, 398
Magnetic property 341
Magnetic structure 1
Magnetic susceptibility 168
Magnetic tunnel barriers 327
Magnetically ordered material 380
Magnetism 89, 139
Magnetization 6, 168
Magnetocrystalline anisotropy 302
Magnetoelectric effect 385
Magneto-optical recording 197
Magnetoresistance 101, 327
Magnetostriction 61, 131, 281

0304-8853/04/$ - see front matter
PII: S0304-8853(03)02529-0

Mean field approximation 266
Measuring technique 139
Mechanical alloying 6
Melt-spun 341
Metallomesogens 385
Metamagnetism 287
$MgCu_2$-type structure 281
Microgravity 48
Micromagnetism 203, 287
Microstructure 48
Microwave absorption 271
Mixed-spin Ising model 245
Monte Carlo 184
Morphology 423
Mossbauer spectra 42
Mössbauer spectrometry 192
Mössbauer spectroscopy 6, 54
Multilayers 78, 203
Multiple spin orientations 113

Nanocomposite 42, 150
Nanocrystalline materials 6
Nanocrystallization 70
Nanometric particles 122
Nanoscaled 95
$Nd_2Fe_{14}B$-based 227
Nd–Fe–B alloys 293
Nd-rich boundary phase 227
Neutron diffraction 1
Neutron scattering 372
Next-nearest-neighbor interaction 410
Nickel-based alloy 139
Ni–Cu/Cu multilayers 156
Nondestructive evaluation 139
Non-equivalent Er^{3+} sites 419
Non-oriented electrical steel 333

One-dimensional magnetic structure 106
Optical matrix method 197
Ordered alloy 393

Paramagnetic Mössbauer spectroscopy 404
Periodate oxidation 95
Permanent magnets materials 302
Permeability 30
Perpendicular anisotropy 287
Phase diagram 266
Pinning 227
Platinum 1
Polyaniline 30
Polycrystalline film 38
Pressure 372
Pulse magnetic field 359

Quantum metamagnet 266

Rare-earth compound 1, 380
Rare-earth-doped manganites 398
Rare earth intermetallic compound 302
Rare earth intermetallics 372
Rare-earth transition-metal compounds 281
Reaction mechanism 423
Resistivity 15, 231
RScSi and RScGe 113
$RuSr_2GdCu_2O_8$ 231

Scanning probe microscopy 131
Scattering parameters 271
Segregated master ingots 293
Silica 150
Sm substitution 192
Soft materials 212
Sol–gel 150
Solid solutions 311
Specific heat 419
Spin 54
Spin clusters 317, 398
Spin filter 327
Spin-polarized transport 327
Spin polarised tunnelling 217
Spin reorientation transitions 302
Spin-valves 15, 78
Spin-wave spectrum 106
Spinels 217
Spinnel 168
Spring-magnet 203
SQUID magnetization 311
$SrFe_{12}O_{19}$ 192
Strain imaging 131
Strain parameter 217
Superparamagnetism 156, 217
Surface oxide layer 423
Synchrotron radiation 89

Ternary rare earth compounds 259
Texture 333
Thermal stability 423
Thermopower 231
Thin film 197
Thin film head 212
Transition metal compound 380
Transport properties 398
Transverse crystal field 245
Two-dimensional magnetic properties 346

$U(Co,Cu)_2Ge_2$ 311
Ultrathin films 89
Unidirectional solidification 48
Uranium compounds 311

Writer 212

XMCD 89
X-ray 15
X-ray diffraction 192

Zinc ferrite 217